November 24, 2020

Hon. Christine Elliott Deputy Premier of Ontario, Ontario Minister of Health and Long-Term Care

Dr. David Williams, MD, MHSc, FRCPS Chief Medical Officer of Health, Ministry of Health and Long-Term Care

Dr. Brian Schwartz, MD, MScCh Vice-President, Public Health Ontario

Dear Hon. Christine Elliott, Dr. David Williams and Dr. Brian Schwartz,

We are a group of Ontario engineers, physicians and professionals who have been following the COVID-19 developments closely. We are deeply concerned by the recent increase in cases and hospitalizations in Ontario. We urge you to update the Province's COVID-19 guidelines, regulations and public communication to reflect the importance of ventilation and to better align with the Public Health Agency of Canada's recent acknowledgment of aerosol transmission.¹ With winter approaching, our activities are moving indoors and it is therefore imperative that public institutions, workplaces and individuals understand the risk of aerosol transmission as well as the actions that can be taken to combat it.

The rapid global spread of COVID-19 has sparked unprecedented cross-disciplinary research. Contributions from the fields of engineering, aerosol science, medicine and epidemiology are driving a paradigm shift in our understanding of aerosol transmission of respiratory viruses, including COVID-19. With this evolving science, the importance of monitoring and improving ventilation in our communities has become increasingly clear.

The September 28, 2020 report by Canada's Chief Science Advisor Expert Panel on COVID-19 summarizes high-yield short-term and long-term goals to reduce indoor transmission of COVID-19 and improve indoor air quality.² We believe that these recommendations need to be urgently adopted by public health authorities and disseminated to schools, businesses and to the public at large. It is clear from school and corporate pandemic policies and communications that the risk of aerosol transmission is not yet fully integrated. These policies focus on deep-cleaning and two-metre physical distancing, while overlooking ventilation and air filtration.

Current evidence supports the aerosol route as an important mode of transmission of COVID-19 (Appendix A). Virus-laden aerosols can infect susceptible contacts through shared room air, but they are also concentrated at close proximity – like smoke. Control strategies targeting close-proximity transmission, such as physical distancing and mask wearing, are well-established and remain key to reduce aerosol transmission risk. For transmission in shared room air, ventilation and air filtration are critical additional measures, as expelled aerosols build up in poorly ventilated spaces. We know that many buildings and residences in our communities have substandard ventilation.

To reflect the current scientific evidence, we call on Ontario's public health leaders to:

Update COVID-19 guidance to reflect the risk of aerosol transmission of COVID-19

- Promote strategies to reduce transmission risk in private homes and businesses through clear public health messaging and education
 - Indoor mask wearing even when distanced, routinely opening windows to refresh the air, regular HVAC maintenance and filter replacement, turning on available vented range hoods and bathroom exhaust fans
- Recommend and deploy carbon dioxide (CO₂) monitors as a surrogate measure of adequate ventilation
 - During a TB outbreak, CO₂ concentrations above 1000 PPM significantly increased the risk of becoming infected with TB.³ Improving the building ventilation to a CO₂ concentration of 600 PPM stopped the outbreak in its tracks.
- Mandate and fund ventilation assessments and upgrades of essential public institutions such as schools and long-term care homes
- Promote portable air filtration (HEPA) units or low-cost homemade devices using MERV-13 filters and box fans
- Engage engineers and other ventilation specialists to develop clear ventilation standards for indoor institutions and integrate these standards into the reopening guidelines for businesses with a higher risk of aerosol transmission (i.e. restaurants, bars and gyms)

Specific strategies to reduce indoor aerosol transmission of COVID-19 are adeptly summarized in Canada's Chief Science Advisor Expert Panel on COVID-19 bioaerosol report², the Occupational Safety and Health Administration (OSHA) Alert⁴, and the Harvard TC Chan Risk Reduction Strategies for Reopening Schools Report.⁵

Experts warn that future respiratory viral pandemics are likely.⁶ Investing in ventilation and indoor air quality now will save lives and prevent economic hardship in the future. Santé Quebec is actively updating their guidance on ventilation in schools and is rolling out short-term measures in schools across the province.⁷ Internationally, Germany is investing €500m to improve ventilation systems in public buildings.⁸ The Ontario public health "sanitary reformers" of the late 1800s led the way in overcoming water-borne diseases like cholera and typhoid fever through investments in sewer systems and water treatment plants.⁹ We are certain that there were those who thought the task at hand was insurmountable. When the history of Ontario's response to COVID-19 is written, we hope that our province is once again viewed as a public health innovator.

Signed,

Jennifer McDonald, MD, FRCPC
Physical Medicine and Rehabilitation Physician
Ottawa
Margaret Wolfe-Wylie, MD, FRCPC
Paediatrician
Toronto
Carrie Loughry, MBA
Toronto

Supporting Engineers and Scientists:

David Elfstrom, P.Eng, CEM, CMVP Freelance Energy Engineer, Masks4Canada Simcoe (Norfolk County)

Jose-Luis Jimenez, PhD Aerosol Science Professor of Chemistry and Fellow of CIRES, University of Colorado-Boulder, Colorado

Ilvana Montgomery P.Eng Electrical Engineer Toronto

Shraddha Pai, PhD Biology, Postdoctoral Fellow University of Toronto, Masks4Canada Toronto

Daniel Shea, BASc Electrical Engineer Richmond Hill

David Markin, BSc Physics, Physicist Ottawa

Supporting Physicians:

Kashif Pirzada, MD, CCFP-EM Emergency Physician, Masks4Canada Toronto

Margaret Wilson, MD, CCFP-EM Emergency Physician Ottawa

Vidya Sreenivasan, MD, FRCPC Physical Medicine and Rehabilitation Physician Ottawa

Lauren Reid, MD, FRCPC Physical Medicine and Rehabilitation Physician Ottawa

Rachel Markin, MD, FRCPC Paediatrician Toronto Conor A. Ruzycki, MSc, PhD Candidate and Killam Scholar, Aerosol Science, U of A, Masks4Canada Edmonton

Cheryl White, P.Eng Engineer, Masks4Canada Toronto

Hugh Montgomery, BASc Mechanical Engineer Toronto

Jean-Paul R. Soucy, MSc Epi, PhD Candidate and Vanier Scholar, Dalla Lana School of Public Health, UofT Toronto

Paul Machuk, P.Eng Mechanical Engineer Mississauga

Edith Hui, MD, CCFP Family Medicine Physician, Masks4Canada Toronto

Shoshanah Deaton, MD, CCFP Family Physician Ottawa

Brie-Anne Rosenberg, MD, CCFP Family Physician Ottawa

Jenna Gale, MD, FRCSC Gynecologist Ottawa

Jennifer Galle, MD, FRCPC Paediatrician Toronto Melanie Ostreicher, MD, FRCPC Paediatrician Toronto

Rae Brager, MD, FRCPC Allergy and Immunology Physician Toronto

Shannon Stogryn, MBBS, MSc, FRCSC General Surgeon Toronto

Brian Yau, MD, FRCPC Anesthesia Toronto

Ottawa

Jacqui Holiff, MD, FRCPC Child and Adolescent Psychiatrist Toronto Kim Zhou, MD FRCPC Paediatrician Toronto

Katherine Ker, MD, CCFP Family Physician Toronto

Stephanie Siu, MD, FRCPC, Geriatric Medicine Physician Toronto

Julia Sharp, MD, FRCPC Paediatrician Toronto

Supporting Professionals and Concerned Citizens:

Michael McDonald, FSA, FCIA Jaime Trick, MScPT, BScH, Bed Actuary Physiotherapist Toronto Ottawa Shael Markin, DDS, MASc Meredith Alexander, BSc, BScN, RN Dentist Nurse Toronto Carleton Place, ON Liza Abraham, RN Vanessa Chang, MA **Hepatology Nurse** Ottawa Toronto Mindy Sichel

APPENDIX A – EVIDENCE FOR AEROSOL SPREAD OF COVID-19

- We know that 96%, 99% and 94% of particles emitted while coughing, sneezing and speaking, respectively, are < 100 μm in size¹⁰
- We know that small liquid particles up to 100 μm in size can float in the air for minutes to hours before settling on surfaces and are thus, by definition, aerosols¹¹
- We now accept that masks are beneficial for both source control and personal protection¹²
- We understand that COVID-19 is an overdispersed pathogen,¹³⁻¹⁴ not unlike Mycobacterium tuberculosis (TB),¹⁵ which also spreads through aerosols. Both pathogens propagate in clusters and through superspreading events, where one person infects many others. In the case of COVID-19, 10-20% of individuals may be responsible for 80% of transmission.¹⁶
- We have seen a clear increased risk of shared room air transmission in crowded, poorly ventilated spaces, and from activities that increase the production of aerosols (speaking, singing, shouting, heavy breathing)¹⁷⁻¹⁸
- Consistent with the fragile enveloped structure of coronaviruses, fomite transmission is not considered to be the primary mechanism of spread^{16,19}
- COVID-19 genetic material has been harvested in ventilation systems²⁰ and ferret studies have demonstrated COVID-19 infections through the aerosol route²¹
- We now recognize that ventilation is an important factor in preventing the spread of COVID-19 indoors²²

REFERENCES

- 1. Government of Canada. Coronavirus disease (COVID-19): Prevention and risks: How Covid-19 Spreads. https://www.canada.ca/en/public-health/services/diseases/2019-novel-coronavirusinfection/prevention-risks.html#h (accessed Nov 15 2020)
- Government of Canada. The Role of Bioaerosols and Indoor Ventilation in COVID-19 Transmission. September 28, 2020 http://science.gc.ca/eic/site/063.nsf/eng/h_98176.html (accessed Nov 15 2020)
- 3. Du CR, Wang SC, Yu MC et al. Effect of Ventilation Improvement during a Tuberculosis Outbreak in Underventilated University Buildings. Indoor Air 30(10). December 2019.
- 4. Occupational Safety and Health Administration. OSHA Alert: COVID-19 Guidance on Ventilation in the Workplace. Nov 2020. https://www.osha.gov/Publications/OSHA4103.pdf
- 5. Harvard TH Chan School of Public Health. Schools for Health: Risk Reduction Strategies for Reopening Schools. November 2020. https://schools.forhealth.org/risk-reduction-strategies-for-reopening-schools/download/ (accessed Nov 17 2020)
- 6. WHO. The best time to prevent the next pandemic is now: countries join voices for better emergency preparedness. Oct 1 2020. https://www.who.int/news/item/01-10-2020-the-best-time-to-prevent-the-next-pandemic-is-now-countries-join-voices-for-better-emergency-preparedness (accessed Nov 16 2020)
- 7. Authier, P. (Nov 11 2020). COVID-19: Quebec to re-examine ventilation issue in schools. *Montreal Gazette*. https://montrealgazette.com/news/quebec/quebecs-restrictions-tocontinue-as-covid-19-cases-soar
- 8. (Oct 19 2020). Coronavirus: Germany improves ventilation to chase away Covid. *BBC News.* https://www.bbc.com/news/world-europe-54599593
- Canadian Public Health Agency. Sewage and sanitary reformers vs. Night filth and disease. https://www.cpha.ca/sewage-and-sanitary-reformers-vs-night-filth-and-disease (accessed Nov 15 2020)

- 10. Duguid JP. The size and the duration of air-carriage of respiratory droplets and droplet-nuclei. J Hyg (Lond). 1946;44(6):471-479. doi:10.1017/s0022172400019288
- 11. Baron P. Generation and Behaviour of Airborne Particles (Aerosols). National Institute for Occupational Safety and Health. Centers for Disease Control and Prevention. https://www.cdc.gov/niosh/topics/aerosols/pdfs/Aerosol_101.pdf (accessed Nov 15 2020)
- Government of Canada. Non-medical masks and face coverings: About. Nov 3 2020. https://www.canada.ca/en/public-health/services/diseases/2019-novel-coronavirusinfection/prevention-risks/about-non-medical-masks-face-coverings.html (accessed Nov 15 2020)
- 13. Laxminarayan R, Wahl B, Dudala SR *et al*. Epidemiology and transmission dynamics of COVID-19 in two Indian states. Science. 2020 Nov 6;370(6517):691-697. doi: 10.1126/science.abd7672. Epub 2020 Sep 30. PMID: 33154136.
- 14. Wang, L., Didelot, X., Yang, J. *et al.* Inference of person-to-person transmission of COVID-19 reveals hidden super-spreading events during the early outbreak phase. *Nat Commun* 11, 5006 (2020). https://doi.org/10.1038/s41467-020-18836-4
- 15. Melsew, Y.A., Gambhir, M., Cheng, A.C. *et al.* The role of super-spreading events in *Mycobacterium tuberculosis* transmission: evidence from contact tracing. *BMC Infect Dis* **19**, 244 (2019). https://doi.org/10.1186/s12879-019-3870-1
- Fang, F., Benson, C., del Rio, C., et al. COVID-19 Lessons Learned and Questions Remaining. *Clinical Infectious Diseases.* 26 October 2020. https://academic.oup.com/cid/advance-article/doi/10.1093/cid/ciaa1654/5940148
- 17. Government of Canada. Coronavirus disease (COVID-19): risks of getting COVID-19. 2020-11-03 https://www.canada.ca/en/public-health/services/diseases/2019-novel-coronavirusinfection/prevention-risks.html#r (accessed Nov 15 2020)
- WHO. Coronavirus disease (COVID-19): How is it transmitted? 20 October 2020. https://www.publichealthontario.ca/-/media/documents/ncov/research/2020/07/research-morawska-clininfectdis-its-time-to-address-airborne-transmission.pdf?la=en (accessed Nov 15 2020)
- 19. CDC. COVID-19: Frequently asked questions. How does the virus spread? Nov 12 2020. https://www.cdc.gov/coronavirus/2019-ncov/faq.html (accessed Nov 15 2020)
- 20. Nissen, K., Krambrich, J., Akaberi, D. *et al.* Long-distance airborne dispersal of SARS-CoV-2 in COVID-19 wards. *Sci Rep* **10**, 19589 (2020). https://doi.org/10.1038/s41598-020-76442-2
- 21. Kutter J, de Meulder D, Bestebroer T, et al. SARS-CoV and SARS-CoV-2 are transmitted through the air between ferrets over more than one meter distance. BioRxiv. October 19 2020. https://doi.org/10.1101/2020.10.19.345363
- 22. WHO. Coronavirus disease (COVID-19): Ventilation and air conditioning in public spaces and buildings. 29 July 2020. https://www.who.int/news-room/q-a-detail/coronavirus-disease-covid-19-ventilation-and-air-conditioning-in-public-spaces-and-buildings (accessed Nov 15 2020)